




aluminumnow
Maritime Solutions

Tel: UK: +44 (0) 208 133 9203
+44 (0) 745 238 4267
USA: +1 (206) 866 5730
AUSTRALIA: +61 (08) 6102 0192
NIGERIA: +234 (0) 703 883 3437
+234 (0) 816 265 1068
Vmail & Fax:- +44 (0) 207 681 1505
Skype:- alunow

40m FSIV in Combo or Pure Patrol Versions Available in 32m & 24m



Available in 40m, 32m & 24m in Crew and Patrol Versions
with or without Pax berths.

All new builds are semi-custom to meet client requirements

Engine & Drives as per client requirements subject to availability


Specifications subject to change without notice

AluPatrol 40m






Also available as 32m

40m Crew Boat



LOA :	42.0m	Passengers :	80	Classification :	
Lmoulded :	40.0m	Crew :	12	Lloyds #100A1 HSLC SSC	
LWL :	39.4m	Cargo Deck :	163m ²	Workboat Mono, G4	
Beam :	8.0m	Clear Aft Deck :	125m ³		
Draft :	1.2m	Deck Load :	75t	Construction :	
Fuel :	16400lts	Cargo Fluids :	100m ³	Marine Grade Aluminium	
Water :	4400lts				

40m GA



PRINCIPAL PARTICULARS

LDA: 42.0m
 Lmoulded: 40.0m
 LWL: 39.4m
 Bmoulded: 8.0m
 DEPTH: 3.4m
 DRAFT: 1.2m
 FUEL OIL: 18650trs
 FRESH WATER: 4400trs
 GREY WATER: 1200trs
 BLACK WATER: 1200trs

MAIN ENGINE: 3 x Cummins KTA38 M2
 1007kW @ 1900rpm
 GEARBOX: 2F 3055
 PROPULSION: 3 x HM651
 AUXILIARY: 2 x CAT C4.4
 107kW @ 1500rpm
 SPEED (25t dwt): 32knots
 SPEED (60t dwt): 27knots
 RANGE: 800nm

PAYLOAD

PASSENGERS: 80
 CREW: 12
 AFT DECK AREA: 162m2
 CLEAR DECK AREA: 125m2
 CARGO DECK LOAD: 50t
 CARGO FLUIDS: 100m3

SURVEY


CLASSIFICATION: Lloyd's #100A1 SSC
 Workboat Mono, G4
 CONSTRUCTION: ALUMINIUM



Fitted with 3 X Hamilton Waterjets or Conventional Drive Systems
 Seafury Surface Drives optional



Quad Drive Version with 16 Pax Berths & 9 Crew Berths






LOA:-	42.0m	Payload	
Length Moulded:-	40.0m	Crew:-	9
LWL:-	39.4m	Passengers Seated:-	80
Beam Moulded:-	8.0m	Passenger Berths:-	16
Depth:-	3.4m	Aftdeck Area:-	162 sq. meters
Draft:-	1.2m	Clear Deck Area:-	125 sq. meters
Fuel:-	18,650Litres	Cargo Deck Load:-	75 Ton
Fresh water:-	4,400Litres	Cargo Fluids:-	84 cu. meters
Grey Water:-	1,200Litres	Classification:-	Lloyds 100 A1 SSC Workboat Mono, G4
Black Water:-	1,200Litres		
Main Engine(s):-	4 X MTU 8V2000 M72 720kW @ 2250RPM	Speed(25 DWT):-	31 Knots
Gear Box:-	ZF 2000	Speed(60T DWT)	26Knots
Propulsion:-	4 X HM521	Range:-	800 Nautical Miles
Auxiliary:-	2 X CAT C4.4	Construction:-	Aluminum

Quad Drive Version with 25 Pax Berths & 9 Crew Berths

40m FAST SUPPORT INTERVENTION VESSEL

80 Pax - 33 berth

Available as Patrol
to meet Client
Requirements



33 berth

LOA:-	42.0m	Payload	
Length Moulded:-	40.0m	Crew:-	9
LWL:-	39.4m	Passengers Seated:-	80
Beam Moulded:-	8.0m	Passenger Berths:-	25
Depth:-	3.4m	Aftdeck Area:-	162 sq. meters
Draft:-	1.2m	Clear Deck Area:-	125 sq. meters
Fuel:-	18,650Litres	Cargo Deck Load:-	75 Ton
Fresh water:-	4,400Litres	Cargo Fluids:-	84 cu. meters
Grey Water:-	1,200Litres	Classification:-	Lloyds 100 A1 SSC Workboat Mono, G4
Black Water:-	1,200Litres		
Main Engine(s):-	4 X MTU 8V2000 M72 720kW @ 2250RPM	Speed(25 DWT):-	31 Knots
Gear Box:-	ZF 2000	Speed(60T DWT)	26Knots
Propulsion:-	4 X HM521	Range:-	800 Nautical Miles
Auxiliary:-	2 X CAT C4.4	Construction:-	Aluminum

